



Mycologia Official Publication of the Mycological Society of America

VOLUME 88, 1996

CONSISTING OF 1058 PAGES, INCLUDING FIGURES

TABLE OF CONTENTS

No. 1 January–February 1996 Issued 9 February 1996

Presidential Address

1-19 Morphological and molecular perspectives on systematics of the Hypocreales A. Y. ROSSMAN

Review

20-37 Studies on Saprolegnia ferax suggest the general importance of the cytoplasm in determining hyphal morphology
S. G. W. KAMINSKYJ AND I. B. HEATH

Cell Biology/Ultrastructure

- 38-46 Ultrastructural evidence for the placement of the truffle *Barssia* in the Helvellaceae (Pezizales) IAMES W. KIMBROUGH, L.-T. LI, AND C.-G. WU
- 47-56 Ultrastructure of telia and teliospores of the rust fungus Cronartium quercuum f. sp. fusiforme C. W. Mims, K. A. Liljebjelke, and S. F. Covert
- 57-70 Functional, organizational, and biochemical analysis of actin in hyphal tip cells of *Allomyces macrogynus* S. Srinivasan, M. M. Vargas, and R. W. Roberson

Development/Morphology

71-79 Variation and variability in *Cladonia* section *Perviae* S. HAMMER

Ecology

- 80-88 Growth and reproduction in aquatic hyphomycetes A. R. MAHARNING AND F. BÄRLOCHER
- 89-97 Endophyte-host associations in grasses. XXIII. A study of two species of *Balansia* that form stromata on nodes of grasses
 J. F. WHITE JR., T. E. DRAKE, AND T. I. MARTIN
- 98-103 Metal ion adsorption by pseudosclerotial plates of *Phellinus weirii* D. N. McDougall and R. A. Blanchette

Pathology

- 104-113 Isozyme variation and species delimitation in the Ceratocystis coerulescens complex T. C. HARRINGTON, J. P. STEIMEL, M. J. WINGFIELD, AND G. A. KILE
- 114-120 Peltaster fructicola: A new species in the complex of fungi causing apple sooty blotch disease E. M. JOHNSON, T. B. SUTTON, AND C. S. HODGES
- 121-128 Infection of flower and vegetative tissues of citrus by Colletotrichum acutatum and C. gloeosporioides M. Zulfiqar, R. H. Brlansky, and L. W. Timmer

Systematics

- 129-131 A new species of Sporidesmiella from New York J. M. McKemy and C. J. K. Wang
- 132-136 Comminutispora gen. nov. and its Hyphospora gen. nov. anamorph A. W. RAMALEY
- 137-139 A new genus, *Leucopholiota*, in the Tricholomataceae (Agaricales) to accommodate an unusual taxon O. K. MILLER JR., T. J. VOLK, AND A. E. BESSETTE
- 140-145 Amanita marmorata subsp. myrtacearum—a new subspecies in Amanita section Phalloideae from Hawaii O. K. MILLER JR., D. E. HEMMES, AND G. WONG

146-150 Simplified author citations for fungi and some old traps and new complications R. P. KORF

Memorial

151-157 Lauritz William Olson, 1945-1992 L. LANGE

Instructions to Authors

158-162

No. 2 March-April 1996

Issued 15 April 1996

Development/Morphology

- 163-170 Perithecium development in *Podospora tetraspora* and *Podospora vesticola*A. Bell and D. P. Mahoney
- 171-173 The holomorph connection of Aecidium plucheae and Puccinia angustatoides D. A. Sadler, R. D. Cartwright, and G. E. Templeton

Ecology

174–178 Endophyte-host associations in grasses. XXII. Conidia formation by Acremonium endophytes on the phylloplanes of Agrostis hiemalis and Poa rigidifolia
J. F. WHITE, JR., T. I. MARTIN, AND D. CABRAL.

Genetics/Molecular Biology

- 179-190 Intercontinental population structure of the chestnut blight fungus, Cryphonectria parasitica M. G. Milgroom, K. Wang, Y. Zhou, S. E. Lipari, and S. Kaneko
- 191-197 Molecular characterization of the cbh2 gene of Trichoderma viride J. R. WANG, P. ZHANG, T. HUANG, AND M. F. ZHANG
- 198–207 A New Zealand *Pleurotus* with multiple-species sexual compatibility R. H. Petersen and G. S. Ridley
- 208-211 Mating behavior in field populations of *Monilinia fructicola* S. J. Free, B. A. Holtz, and T. J. Michallides

Molecular Evolution

- 212–218 Ribosomal DNA sequence analysis places the yeast-like genus *Symbiotaphrina* within filamentous ascomycetes
 K. G. JONES AND M. BLACKWELL
- 219-229 Isozyme patterns in cultured Harpellales R. GRIGG AND R. W. LICHTWARDT
- 230–238 Molecular and microscopical studies in the *Phellinus pini* group M. FISCHER

Pathology

239-248 Characteristics of the Fusicoccum anamorph of Botryosphaeria ribis, a potential biological control agent for Melaleuca quinquenervia in South Florida M. B. RAYACHHETRY, G. M. BLAKESLEE, R. S. WEBB, AND J. W. KIMBROUGH

Physiology/Biochemistry

- 249-255 Factors influencing cellulase production Saccobolus saccoboloides P. Magnelli, A. M. Ramos, and F. Forchiassin
- 256-263 Altered gene expression in Aspergillus nidulans in response to salt stress R. J. Redkar, P. A. Lemke, and N. K. Singh

- 264–270 Water-soluble reserve polysaccharides from *Achlya* are $(1\rightarrow 3)$ -β-glucans J. H. Lee, J. T. Mullins, and J. E. Gander
- 271-277 Temporal and spatial factors affecting germination of macroconidia of Sporidesmium sclerotivorum S. MISCHKE AND P. B. ADAMS

Systematics

- 278-294 Agaricales of the Hawaiian Islands. 3. The genus *Galerina* and selected other brown-spored agarics E. HORAK, D. E. DESJARDIN, AND D. E. HEMMES
- 295-301 Cantharellus tabernensis: A new species from the southeastern United States T. P. Feibelman, J. W. Bennett, and W. G. Cibula
- 302-315 Three species of *Hypocrea* with stipitate stromata and *Trichoderma* anamorphs G. J. SAMUELS AND D. J. LODGE
- 316-327 The genus *Lindbladia* T. Hatano, H. J. Arnott, and H. W. Keller
- 328–337 Fungi on *Juncus roemerianus*. 6. *Glomerobolus* gen. nov., the first ballistic member of Agonomycetales J. KOHLMEYER AND B. VOLKMANN-KOHLMEYER

No. 3 May-June 1996 Issued 14 June 1996

Cell Biology/Ultrastructure

339-349 Immunofluorescence analysis of the microtubule cytoskeleton in the yeast phase of the basidiomycetes Kriegeria eriophori and Septobasidium carestianum
 D. J. McLaughlin, E. M. Frieders, M. E. Berres, J. C. Doublés, and S. M. Wick

Genetics/Molecular Biology

- 350-357 Screening marine fungi for plasmids and characterization of a linear mitochondrial plasmid in a *Lulworthia* sp.

 C. M. BAISDEN AND J. J. COONEY
- 358-360 Molecular karyotypes for the obligate, intracellular, plant pathogens, *Plasmodiophora brassicae* and *Spongospora subterranea* R. J. BRYAN, A. T. TRESE, AND J. P. BRASELTON

Molecular Evolution

- 361–368 Discordant groupings of Fusarium spp. from sections Elegans, Liseola and Dlaminia based on ribosomal ITS1 and ITS2 sequences
 C. WAALWIJK, J. R. A. DE KONING, R. P. BAAYEN, AND W. GAMS
- 369-383 Molecular phylogeny of *Acremonium* and its taxonomic implications A. E. Glenn, C. W. Bacon, R. Price, and R. T. Hanlin
- 384-394 Isozyme subgroups in *Trichoderma* section *Longibrachiatum* A. LEUCHTMANN, O. PETRINI, AND G. J. SAMUELS
- 395-402 Protein patterns distinguish among Canadian isolates of *Inonotus tomentosus, I. circinatus* and *Phellinus pini* R. S. HUNT AND A. K. EKRAMODDOULLAH

Mushroom Culture

403-409 CaCl₂ treated irrigation water applied to mushroom crops (*Agaricus bisporus*) increases Ca concentration and improves postharvest quality and shelf life
M. B. MIKLUS AND R. B. BEELMAN

Physiology/Biochemistry

410-415 Endo-1,4-β-glucanase production by Stachybotrys elegans, a mycoparasite of Rhizoctonia solani R. J. Tweddell, J. Marshall, and S. H. Jabaji-Hare

416-424 Identification and characterization of strains of Gibberella fujikuroi mating population A with rare fumonisin production phonotypes
 R. D. PLATTNER, A. E. DESJARDINS, J. F. LESLIE, AND P. E. NELSON

Plant Pathogens

- 425-440 Morphological and RAPD analyses of *Diaporthe phaseolorum* from soybean F. A. Fernández and R. T. Hanlin
- 441–458 Species of Mycosphaerella and their anamorphs associated with leaf blotch disease of Eucalyptus in South Africa
 P. W. CROUS AND M. J. WINGFIELD
- 459-472 Athelia arachnoidea, the sexual state of Rhizoctonia carotae, a pathogen of carrot in cold storage G. C. ADAMS AND B. R. KROPP
- 473-483 Peronospora viciae on Pisum sativum: morphology of asexual and sexual reproductive structures R. E. FALLOON AND P. W. SUTHERLAND

Systematics

- 484-491 Armillaria nabsnona, a new species from western North America T. J. Volk, H. H. Burdsall, Jr., and M. T. Banik
- 492–496 Armillaria species of the Olympic Peninsula of Washington state, including confirmation of North American biological species XI
 M. T. BANIK, T. J. VOLK, AND H. H. BURDSALL, JR.
- 497–508 New species of *Tricholoma* from California and Oregon K. M. SHANKS
- 509-513 Fusarium globosum, a new species from corn in southern Africa J. P. RHEEDER, W. F. O. MARASAS, AND P. E. NELSON
- 514–516 Hygrocybe andersonii a new psammophilus Hygrocybe from Horn Island, a Mississippi barrier island W. G. CIBULA AND N. S. WEBER

Book Reviews

517-521

Erratum

522 Identification of Armillaria species from Wisconsin and adjacent areas M. T. BANIK, J. A. PAUL, AND H. H. BURDSALL, JR.

No. 4 July-August 1996 Issued 15 August 1996

Cell Biology/Ultrastructure

523-532 Immunocytochemical comparison of peripheral vesicles in zoospores of *Phytophthora* and *Pythium* species M. Cope, M. C. Webb, E. T. O'Gara, B. A. Philip, and A. R. Hardham

Development/Morphology

533-538 Modular growth in verticillate podetia of *Cladonia* S. HAMMER

Ecology

- 539-547 Acremonium isolates from Stipa robusta
 W. J. Kaiser, G. W. Bruehl, C. M. Davitt, and R. E. Klein
- 548-553 Ectomycorrhizas of *Thelephora terrestris* formed with *Eucalyptus globulus* K. INGLEBY AND P. A. MASON
- 554-564 Nematode-trapping fungi of a natural shrubland: Tests for food chain involvement B. A. JAFFEE, D. R. STRONG, AND A. E. MULDOON

565-573 Host specificity and habitat preference of *Laboulbenia slackensis*A. DE KESEL

Genetics

- 574–587 Association of morphology and mycotoxin production with vegetative compatibility groups in Aspergillus flavus, A. parasiticus, and A. tamarii
 B. W. HORN, R. L. GREENE, V. S. SOBOLEV, J. W. DORNER, J. H. POWELL, AND R. C. LAYTON
- 588-595 Variation in production of phomodiol and phomopsolide B by *Phomopsis* spp. W. S. HORN, M. S. J. SIMMONDS, R. E. SCHWARTZ, AND W. M. BLANEY

Molecular Evolution

596-601 Convergent origins of ambrosia fungi S. CASSAR AND M. BLACKWELL

Plant Pathogens

- 602-607 Isozyme variation among isolates of *Mucor piriformis* C. VÁGVÖLGYI, T. PAPP, Z. PALÁGYI, AND T. J. MICHAILIDES
- 608-612 Evaluation of field experiments by direct allozyme analysis of late blight lesions caused by *Phytophthora infestans* D. E. LEGARD AND W. E. FRY
- 613-618 Infection and fungal development of *Tubakia dryina* on sweet gum (*Liquidambar styraciflua*) J. TAYLOR AND S. CLARK
- 619-625 Two types of the European race of *Gremmeniella abietina* can be identified with immunoblotting R.-L. Petālstō, A. Uotila, M. Hellgren, J. Kaitera, J. Tuomainen, and E. O. Kajander
- 626-634 The parasitic relationship betwen *Phyllosticta ampelicida* and *Vitis vinifera* K. C. KUO AND H. C. HOCH
- 635-641 Effect of Cryptomycina pteridis on Pteridium aquilinum A. Gabel, R. Studt and S. Metz

Physiology/Biochemistry

- 642-646 Photo-induction of sporangia in *Pilobolus crystallinus* R. J. Ellis
- 647-650 The presence of melanin in Synchytrium endobioticum M. C. HAMPSON, R. AMAROWICZ, AND F. SHAHIDI
- 651-654 The anticandidal properties of chlorinated 8-quinolinols D. L. Lentz, H. Gershon, H. Marini, and G. A. Gentry

Systematics

- 655-661 South American Gasteromycetes V: The genus Morganella V. L. SUÁREZ AND J. E. WRIGHT
- 662-665 Gigasperma americanum, a new hypogeous member of the Basidiomycota associated with Cercocarpus ledifolius in Utah

 B. R. KROPP AND L. J. HUTCHISON
- 666-670 Agricales from Costa Rica: New taxa with ornamented spores R. E. HALLING AND A. E. FRANCO-M.

No. 5 September-October 1996 Issued 15 October 1996

Development/Morphology

671-676 Puccinia rugispora: An unusual microcyclic rust endemic to Hawaii D. E. GARDNER

- 677-693 Correlative light- and scanning electron microscope studies on the developmental morphology of Hesperomyces virescens

 A. WEIR AND G. W. BEAKES
- 694-706 Comparative growth, morphology, and physiology of three Sclerotium species Z. K. Punja and A. Damiani
- 707-714 Mixed arbuscular mycorrhizae from the Triassic of Antarctica C. J. Phipps and T. N. Taylor
- 715-719 Tolypocladium inflatum is the anamorph of Cordyceps subsessilis K. T. HODGE, S. B. KRASNOFF, AND R. A. HUMBER
- 720-732 Sexual reproduction in the fungal parasite, Zygorhizidium planktonicum M. S. DOGGETT AND D. PORTER

Ecology

- 733-738 Endophytic fungi of *Manilkara bidentata* leaves in Puerto Rico D. J. Lodge, P. J. Fisher, and B. C. Sutton
- 739-744 Leptographium pyrinum is a mycangial fungus of Dendroctonus adjunctus D. L. SIX AND T. D. PAINE

Genetics/Molecular Biology

- 745-748 A nomenclature for fungal PCR primers with examples from intron-containing SSU rDNA A. GARGAS AND P. T. DEPRIEST
- 749-761 BSN, the primary determinant of basidial spore number and reproductive mode in Agaricus bisporus, maps to chromosome I
 M. IMBERNON, P. CALLAC, P. GASQUI, R. W. KERRIGAN, AND A. J. VELCKO, JR.

Molecular Evolution

- 762-775 Morphological and molecular studies on Auriculariopsis albomellea and Phlebia albida and a reassessment of A. ampla.
 K. K. NAKASONE
- 776-785 Internal transcribed spacer sequences from 38 recognized species of Suillus sensu lato: Phylogenetic and taxonomic implications
 A. Kretzer, Y. Li, T. Szaro, and T. D. Bruns

Plant and Animal Pathogens

- 786-796 Phaeoacremonium gen. nov. associated with wilt and decline diseases of woody hosts and human infections P. W. Crous, W. Gams, M. J. Wingfield, and P. S. van Wyk
- 797-803 Ascosphaera acerosa sp. nov. isolated from the alfalfa leafcutting bee, with a key to the species of Ascosphaera
 J. BISSETT, G. DUKE, AND M. GOETTEL
- 804–808 The taxonomic position of the causal agent of acremonium collapse of muskmelon A. Alfaro-García, J. Armengol, B. D. Bruton, W. Gams, J. García-Jiménez, and G. Martínez-Ferrer

Physiology/Biochemistry

- 809-815 Some effects of water potential upon endophytic Acremonium spp. in culture G. W. Bruehl and W. J. Kaiser
- 816–818 The effect of water potential upon radial growth of *Epichloë* and *Claviceps purpurea* isolates in culture W. J. Kaiser and G. W. Bruehl.
- 819-830 Environmental influence on trehalogenesis in amoebae of the cellular slime molds L. A. Temesvari, G. Klein, and D. A. Cotter

831–838 Screening wood- and bark-inhabiting Basidiomycetes for esterase activity in liquid stationary culture E. SCHULTZ, G. P. CHAMURIS, AND S. DALLABRIDA

Systematics

- 839-843 Neotypification of *Phellinus pini*M. J. Larsen and I. Melo
- 844-857 Trichomycetes in aquatic insects from southern Chile R. W. LICHTWARDT AND J. ARENAS M.
- 858-862 Geastrum lilloi sp. nov. from Argentina L. S. DOMÍNGUEZ DE TOLEDO
- 863-884 A revision of the genera Radiigera and Pyrenogaster
 L. S. DOMÍNGUEZ DE TOLEDO AND M. A. CASTELLANO

No. 6 November-December 1996

Issued 21 January 1997

Animal Pathogens

885-891 Phoma heteroderae sp. nov. isolated from eggs of Heterodera glycines S. Y. CHEN, D. W. DICKSON AND J. W. KIMBROUGH

Cell Biology/Ultrastructure

892-896 Nuclear behavior during basidiospore germination in *Cronartium quercuum* f. sp. fusiforme P. C. SPAINE AND S. KANEKO

Ecology

- 897-908 Ectomycorrhizae synthesized between *Pinus radiata* and eight fungi associated with *Pinus* spp. M. K. Duňabeitia, S. Hormilla, I. Salcedo and J. I. Peňa
- 909–921 Toxin composition of *Amanita phalloides* tissues in relation to the collection site F. ENJALBERT, G. CASSANAS, C. GUINCHARD AND J. P. CHAUMONT
- 922-933 Microfungi from Antarctic lichens, mosses and vascular plants C. MÖLLER AND M. M. DREYFUSS
- 934-938 Cues for zoospore release by marine oomycotes in naturally decaying submerged leaves S. Y. Newell and J. W. Fell
- 939-946 Isolate specific detection of mycorrhizal fungi using genome specific primer pairs J. D. Abbas, B. A. D. Hetrick and J. E. Jurgenson
- 947-950 Effects of sea water on spore germination of a sand-dune-inhabiting arbuscular mycorrhizal fungus R. E. Koske, C. Bonin, J. Kelly and C. Martinez

Genetics/Molecular Biology

- 951-964 Low genetic diversity of the *Ophiostoma novo-ulmi* population in North America C. M. Brasier
- 965-969 Identification of a mating population, Gibberella nygamai sp. nov., within the Fusarium nygamai anamorph J. A. Klaasen and P. E. Nelson
- 970-976 Polymorphisms in the large intergenic spacer of the nuclear ribosomal repeat identify *Laccaria proxima* strains
 S. R. Albee, G. M. Mueller and B. R. Kropp
- 977-985 Isozyme analysis of population structure and diversity in the puffball species *Lycoperdon pyriforme*M. J. Huss

Molecular Evolution

986-995 Phylogeny of the genus *Plicaria* and its relationship to *Peziza* inferred from ribosomal DNA sequence analysis

J. E. NORMAN AND K. N. EGGER

Physiology/Biochemistry

996-1002 Characterization of a laccase in the conidial mucilage of Colletotrichum graminicola D. W. Anderson and R. L. Nicholson

Plant Pathogens

- 1003–1009 Falcate-spored species of *Colletotrichum* on soybean K. W. Roy
- 1010–1013 Production of chlamydospores by Fusaria in onion (Allium cepa) bulb extract S. G. SOOD

Systematics

- 1014–1021 *Janetia curviapicis*, a new species, and an emended description of the genus T.-K. GOH AND K. D. HYDE
- 1022–1031 Spadicoides cordanoides sp. nov., a new dematiaceous hyphomycete from submerged wood in Australia, with a taxonomic review of the genus
 T.-K. GOH AND K. D. HYDE

Memorial

1032-1035 Paul Arenz Lemke, 1937-1995 K. Esser

Notice

Index

1036

1037-1054

PUBLICATION DATES

Issues for Volume 87, 1995, were published on the dates indicated.

87(1): 14 March 1995 87(2): 3 May 1995 87(3): 6 July 1995 87(6): 19 January 1996